




微信小程序：电影选票系统（简易版） 可以选择场次座位并生成订单

原创

持锤大吱佬  于 2021-03-12 22:56:02 发布  3419  收藏 37

分类专栏：[笔记](#) 文章标签：[微信小程序](#) [vue.js](#) [js](#) [css](#) [前端](#)

版权声明：本文为博主原创文章，遵循 [CC 4.0 BY-SA](#) 版权协议，转载请附上原文出处链接和本声明。

本文链接：https://blog.csdn.net/weixin_43752106/article/details/114711176

版权



[笔记 专栏收录该内容](#)

24 篇文章 0 订阅

订阅专栏

简介：这本来是一个课设作品，完整版连接了JAVA后台数据库，但因为我基本只负责微信小程序的后端数据交互，所以只发一个没有连接数据库，用静态数据作为代替的简易版，但还是保留了部分连接数据库的代码，大家可以看看。这个选票系统功能简洁完备，但还是有点问题，因为时间问题没有完成，就是通过点击不同电影生成不同场次座位页面，大家可以继续改进，这些页面也参考了一些其他CSDN文章，但现在实在找不到是哪篇了。-

book页面效果展示



https://blog.csdn.net/weixin_43752106

book.js

```
//index.js
var i=0
var flag=0
//获取应用实例
var that = this
var seat=0;
Page({
  // 事件处理函数
  bindViewTap() {

    if (this.data.list.length <= this.data.minFieldLen - 1) {
      wx.showToast({
        title: `最少选择${this.data.minFieldLen}张`,
        icon: 'none',
        duration: 2000
      })
      return
    }
  }

  if(i!=0)
```

```

this.data.orderList=wx.getStorageSync("orderList")||[];
this.data.payList=wx.getStorageSync('payList')||[];
this.data.myDate=wx.getStorageSync('myDate');
this.data.mySession=wx.getStorageSync('mySession');
this.data.dataList=wx.getStorageSync('movie');
for(var index in this.data.payList){
    if(this.data.payList[index].row!="0排"&&this.data.payList[index].column!="0列"){
        console.log(this.data.mySession.id);

        this.data.orderList.push({"id":i,"hall":this.data.mySession.id+"号厅","time":this.data.myDate.title+" "+this.data.myDate.subTitle+" "+this.data.mySession.name,
            "name":this.data.dataList.goods_title,"status":this.data.payList[index].row+this.data.payList[index].column+" ", "money":this.data.dataList.goods_price})

        wx.setStorageSync("orderList",this.data.orderList);
        console.log(this.data.orderList[i].id)
        console.log(this.data.orderList[i].hall)
        //下面是给JAVA端发数据
        wx.request({
            url: 'http://localhost:8080/XCXTTEST/demo',
            data:{
                id:this.data.orderList[i].id,//号
                hall:this.data.orderList[i].hall,
                time:this.data.orderList[i].time,
                name:this.data.orderList[i].name,
                price:this.data.orderList[i].money,
                column:this.data.payList[index].column,
                row:this.data.payList[index].row
            },
            method:'GET',
            header: {
                'Content-Type': 'application/x-www-form-urlencoded',
                "Accept": "application/json;charset=utf-8"
            }
        })
        i++
    }}

for(var index in this.data.chosenObj){
    console.log(this.data.chosenObj[index].x)
    console.log(this.data.chosenObj[index].y)
    if(this.data.chosenObj[index].x!=-1&&this.data.chosenObj[index].y!=-1){
        this.data.obj[ this.data.chosenObj[index].x][ this.data.chosenObj[index].y].status=2;
        console.log(this.data.obj[ this.data.chosenObj[index].x][ this.data.chosenObj[index].y].status)
        console.log(this.data.obj[ this.data.chosenObj[index].x][ this.data.chosenObj[index].y].status)
        console.log(this.data.obj[ this.data.chosenObj[index].x][ this.data.chosenObj[index].y].status)
    }
}
wx.setStorageSync('obj',this.data.obj)
this.setData({
    obj:this.data.obj
})

wx.redirectTo({
    url: '../order/order',
})
}
}

```

```

},
/**
 * 页面的初始数据
 */
data: {
  dataList:[],
  orderList:[],
  myDate: '1', // 纪录日期
  mySession: '1', // 记录场次
  payList:[
    {
      row: "0排", // 排
      column: "0列" // 列
    },
    {
      row: "0排", // 排
      column: "0列" // 列
    },
    {
      row: "0排", // 排
      column: "0列" // 列
    },
    {
      row: "0排", // 排
      column: "0列" // 列
    },
    {
      row: "0排", // 排
      column: "0列" // 列
    }
  ],
  requestAreaId: 0,
  requestDate: '',
  /**
   * 选中的位置
   */
  list: [],
  // 0 已预定
  // 1 可预订
  // 2 已售
  //
  chosenObj:[
    {
      x:-1,
      y:-1
    },
    {
      x:-1,
      y:-1
    },
    {
      x:-1,
      y:-1
    },
    {
      x:-1,
      y:-1
    },
    {
      x:-1,
      y:-1
    },
  ],
  obj: [
    [{

```



```
],
  [{
    "status": 1,
    "price": 60
  },
  {
    "status": 1,
    "price": 60
  },
  {
    "status": 1,
    "price": 60
  },
  {
    "status": 1,
    "price": 60
  },
  {
    "status": 1,
    "price": 60
  },
  {
    "status": 1,
    "price": 60
  },
  {
    "status": 1,
    "price": 60
  },
  {
    "status": 1,
    "price": 60
  },
  {
    "status": 1,
    "price": 60
  },
  {
    "status": 1,
    "price": 60
  },
  {
    "status": 1,
    "price": 60
  },
  {
    "status": 1,
    "price": 60
  }
]
],
time: [
  "1排",
  "2排",
  "3排",
  "4排",
  "5排",
  "6排",
  "7排",
  "8排",
  "9排"
],
area: [
  "1列",
  "2列",
  "3列",
  "4列",
  "5列",
  "6列",
  "7列",
  "8列",
```

```
    "9列"
  ],
  /**
   * 场次
   */
  session: [{
    name: 'A场(9:00)',
    id: 1
  },
  {
    name: 'B场(10:00)',
    id: 2
  },
  {
    name: 'C场(13:00)',
    id: 3
  },
  {
    name: 'D场(15:00)',
    id: 4
  },
  {
    name: 'E场(17:00)',
    id: 5
  },
  {
    name: 'F场(18:00)',
    id: 6
  },
  {
    name: 'G场(20:00)',
    id: 7
  },
  {
    name: 'H场(21:00)',
    id: 8
  },
  ],
  date: [{
    title: '今天',
    subTitle: '03月14日'
  },
  {
    title: '周五',
    subTitle: '03月15日'
  },
  {
    title: '周六',
    subTitle: '03月16日'
  },
  {
    title: '周日',
    subTitle: '03月17日'
  },
  {
    title: '周一',
    subTitle: '03月18日'
  },
  ],
],
```

```
submitTitle: '提交订单',
/**
 * 日期选中
 */
datePosition: 0,
/**
 * 场次选中
 */
sessionPosition: 0,
/**
 * 上拖动效果越界
 */
offsetTop: 0,
/**
 * 做拖动效果越界
 */
offsetLeft: 0,
/**
 * 调整左边的滚动条位置
 */
left: 0,
/**
 * 调整上的滚动条位置
 */
top: 0,
/**
 * 选座区域最小高度
 */
min: 100,
/**
 * 选座区域最大高度
 */
max: 600,

/**
 * 场地价格
 */
price: 0,
/**
 * 当前场地id
 */
id: 0,
/**
 * 最大可选场地
 */
maxFieldLen: 4,
/**
 * 最小可选场地
 */
minFieldLen: 1,
/**
 * 默认时间选择滚动条位置
 */
dateScrollX: 0,
scrollItemW: 0,
screenW: 0,
isFirstScroll: false
},
/**
 * 选择日期
```

```

*/
chooseDate: function(e) {
  var index = parseInt(e.currentTarget.id)

  if (index !== this.data.datePosition) {

    this.setData({
      datePosition: index,

    })

    this.data.myDate=this.data.date[this.data.datePosition]; // 设置日期
    console.log( this.data.myDate); console.log(this.data.myDate.title);
    wx.setStorageSync("myDate",this.data.myDate);
    // this.data.payList[0].date=this.data.date[this.data.datePosition]; // 设置日期
    // console.log( this.data.payList[0].date); console.log( this.data.payList[0].date.title);
  }
},
/**
 * 选择场次
 */
chooseSession: function(e) {
  var index = parseInt(e.currentTarget.id)
  if (index !== this.data.sessionPosition) {

    this.setData({
      contentX: 0,
      contentY: 0,
      sessionPosition: index,
      requestAreaId: this.data.id,
      submitTitle: '提交订单',
    })
    this.data.mySession=this.data.session[this.data.sessionPosition]; // 设置场次

    console.log( this.data.mySession); console.log( this.data.mySession.name);
    wx.setStorageSync("mySession",this.data.mySession);
    // this.data.payList[0].session=this.data.session[this.data.sessionPosition]; // 设置场次
    // console.log( this.data.payList[0].session); console.log( this.data.payList[0].session.name);

    // this.getData(this.data.session[index].id, this.data.date[this.data.datePosition].value, this.data.id)

  }
},
/**
 * 点击事件
 */
bindChange: function(e) {
  var x = e.detail.x
  var y = e.detail.y
  var offsetTop = 0;
  if (y > 0) {
    offsetTop += y
  }
  var offsetLeft = 0;
  if (x > 0) {
    offsetLeft += x;
  }
}

```

```

}

this.setData({
  left: x,
  offsetLeft: offsetLeft,
  offsetTop: offsetTop,
  top: y
})
},
/**
 * 座位选择
 */
choose: function(e) {
  var p = e.currentTarget.id.split(",")
  var i = parseInt(p[0])
  var j = parseInt(p[1])
  var id = i + ',' + j // 1,2
  var item = this.data.obj[i][j]
  var status=item.status
  // 0 已预定
  // 1 可预订
  // 2 已售
  //
  /* this.data.obj[i][j].status=2
  if(flag==1)
  item.status=2;*/
  /**
   * 可预订
   */
  if (status == 1) {
    //判断数组长度最多选6个座位
    if (this.data.list.length == this.data.maxFieldLen) {
      wx.showToast({
        title: '最多选择' + this.data.maxFieldLen + '张',
        icon: 'none',
        duration: 2000
      })
      return
    }
  }
  /**
   * 判断上下是否是靠近的
   * i,j
   * 可以选择
   * 0,0
   * 1,0
   * 不能选择
   * 0,0
   * 1,2
   */

  var arithmeticList = []
  var isAdd = false
  for (var index in this.data.list) {
    var temp = this.data.list[index].id.split(",");
    var x = parseInt(temp[0])
    var y = parseInt(temp[1])
    arithmeticList.push(x)

```

```

        arithmeticList.push(x)

        isAdd = true

    };
    /**
     * 判断等差数列
     */
    if (null != arithmeticList && isAdd && arithmeticList.length > 0) {

        var tempArithmeticList = arithmeticList
        tempArithmeticList.push(i)

    }

    item.status = 0
    for(var index in this.data.chosenObj){
        if(this.data.chosenObj[index].x==-1&&this.data.chosenObj[index].y==-1){
            this.data.chosenObj[index].x=i;
            this.data.chosenObj[index].y=j;
            break;
        }
    }
    /**
     * 生成框里的数据
     */
    this.data.list.push({
    price:this.data.dataList.goods_price,
        time: this.data.time[i] + this.data.area[j],
        area: this.data.area[j].name,
        id: id,
        fieldId: this.data.area[j].id

    })

    console.log(this.data.time[i])
    console.log(this.data.area[j])
    if(seat<this.data.maxFieldLen){
        while(this.data.payList[seat].row!="0排"&&this.data.payList[seat].column!="0列"){
            seat++;
            if(seat>=this.data.maxFieldLen)
                seat=seat%this.data.maxFieldLen
        }
        this.data.payList[seat].row=this.data.time[i]
        this.data.payList[seat].column=this.data.area[j]
        console.log(this.data.payList[seat].row)
        console.log(this.data.payList[seat].column)
        console.log(this.data.payList)
        wx.setStorageSync("payList",this.data.payList);
        seat++;
        console.log(seat)
    }

    let temp0 = 'obj[' + i + '][' + j + ']'
    // console.log(temp0)

```

```

/**
 * 计算价格
 */
var title = this.getTitle(this.data.list)
this.setData({
  submitTitle: title,
  // obj: this.data.obj,
  [temp0]: item,
  list: this.data.list
})
} else if (status == 0) { // 已选择

//i j

var arithmeticList = []
var isAdd = false
for (var index in this.data.list) {
  var temp = this.data.list[index].id.split(",");
  var x = parseInt(temp[0])
  var y = parseInt(temp[1])

  arithmeticList.push(x)
  isAdd = true
  console.log(this.data.time[i])
  console.log(this.data.area[j])
  seat=0;

for(var index2 in this.data.payList)
  if(this.data.payList[index2 ].row==this.data.time[i]&&this.data.payList[index2].column==this.data.area
[j]){

    this.data.payList[index2 ].row="0排";
    this.data.payList[index2 ].column="0列";
    // console.log(this.data.payList[index2 ].row )
    wx.setStorageSync("payList",this.data.payList);
  }else console.log(123)

}
};
console.log(this.data.payList)

/**
 * 已选择 取消选择
 */
item.status = 1
for(var index in this.data.chosenObj){
  if(this.data.chosenObj[index].x==i&&this.data.chosenObj[index].y==y){
    this.data.chosenObj[index].x--1;
    this.data.chosenObj[index].y--1;
    break;
  }
}
for (var m = 0; m < this.data.list.length; m++) {

  if (this.data.list[m].id == id) {
    this.data.list.splice(m, 1)
    break;
  }
}
}

```



```

    }
    let temp0 = 'obj[' + i + '][' + j + ']'
    /**
     * 计算价格
     */
    var title = this.getTitle(this.data.list)
    this.setData({
      submitTitle: title,
      // obj: this.data.obj,
      [temp0]: item,
      list: this.data.list
    })

  } else if (status == 2) {

    wx.showToast({
      title: '已售',
      icon: 'none',
      duration: 2000
    })
  }
},
getTitle: function(list) {

  if (list.length <= 0) {
    this.setData({
      price: 0
    })

    return '提交订单'
  }
  console.log(this.data.dataList.goods_price)
  console.log(list.length)
  //this.data.price = 0
  // for (var index in list) {
    this.data.price = this.data.dataList.goods_price*list.length
  // }console.log(this.data.price)

  /* this.setData({
    price:this.data.price
  })*
  console.log(this.data.price)
  return '¥' + this.data.price + '提交订单'
},

/**
 * 判断是否为等差数列
 */
isArithmeticList: function(list) {
  var tempArithmeticList = this.sortarr(list)

  for (var i = 0; i < tempArithmeticList.length - 1; i++) {
    var res = tempArithmeticList[i + 1] - tempArithmeticList[i]
    if (res < 0) res = res * -1;

    if (res != 1) {
      return false
    }
  }
}

```

```

    }
    return true
  },
  /**
   * 排序
   */
  sortarr: function(arr) {
    for (var i = 0; i < arr.length - 1; i++) {
      for (var j = 0; j < arr.length - 1 - i; j++) {
        if (arr[j] > arr[j + 1]) {
          var temp = arr[j];
          arr[j] = arr[j + 1];
          arr[j + 1] = temp;
        }
      }
    }
    return arr;
  },
  /**
   * 生命周期函数--监听页面加载
   */
  onLoad: function(options) {

// wx.setStorageSync('obj', this.data.obj)
if(flag==0)
wx.setStorageSync('obj',this.data.obj)
this.data.obj=wx.getStorageSync('obj');
flag++
console.log(this.data.mySession)
this.data.dataList=wx.getStorageSync('movie')|| [];
// console.log(51254);
this.data.mySession=this.data.session[0]
wx.setStorageSync("mySession",this.data.mySession)
this.data.myDate=this.data.date[0]
wx.setStorageSync("myDate", this.data.myDate)
console.log( this.data.mySession);
console.log(this.data.dataList.goods_price);
that = this
/**
 * 屏幕宽度
 * 16 + 182 scrollLW
 */
let scrollItemW = this.rpx2px(16 + 182)
let screenW = this.rpx2px(750)

let blockW = this.rpx2px(96)
let blockH = this.rpx2px(58)
// console.log(scrollItemW)
for(var i in this.data.obj){
  for (var j in this.data.obj[i]){
    this.data.obj[i][j].price=this.data.dataList.goods_price

  }
}
// console.log(options)
this.setData({
  scrollItemW: scrollItemW,
  screenW: screenW,

```

```

    blockH: blockH,
    blockW: blockW,
    max: this.rpx2px(that.data.max),
    min: this.rpx2px(that.data.min),
    maxW: this.rpx2px(650),
  })
  this.getData(this.data.requestAreaId, this.data.requestDate, this.data.id)
  this.getData(this.data.mySession.id, this.data.date[this.data.datePosition].value, this.data.id)
},

/**
 * 获取数据
 */
getData: function (areaId, date, id) {

  var that = this
  var time = this.data.time
  var area = this.data.area
  var h = time.length
  var w = area.length

  // console.Log('h',h)
  // console.Log('w', w)
  var offsetH = h * that.data.blockH
  var offsetW = w * that.data.blockW
  var currentH = offsetH
  let currentW = offsetW

  /**
   * 设置最高高度
   */
  if (offsetH > this.data.max) {
    currentH = this.data.max
  }

  if (currentW > this.data.maxW) {
    currentW = this.data.maxW
  }

  let datePosition = 0
  // console.Log('requestDate', that.data.requestDate)
  if (that.data.requestDate) {
    for (let i = 0; i < data.data.dateList.length; i++) {
      if (that.data.requestDate == data.data.dateList[i].value) {
        datePosition = i
        break
      }
    }
  }
}

let disableRow = 0 //判断前几行不能选择

/**
 * 16 + 182
 */

that.setData({

```

```

    contentX: 0,
    contentY: (that.data.blockH + 1) * disableRow * -1,
    offsetTop: 0,
    offsetLeft: 0,
    datePosition: datePosition,
    left: 0,
    top: 0,
    maxFieldLen: 5,
    minFieldLen: 1,
    date: that.data.date,
    session: that.data.session,
    area: that.data.area,
    time: that.data.time,
    obj: that.data.obj,
    offsetH: offsetH,
    offsetW: offsetW,
    currentH: currentH,
    currentW: currentW,
    list: [],
    price: 0,
  })

  if (!that.data.isFirstScroll) {
    let dateScrollX = 0
    if (that.data.screenW < datePosition * that.data.scrollItemW) {
      dateScrollX = datePosition * that.data.scrollItemW - that.data.scrollItemW * 3
    }
    // console.log(dateScrollX)
    that.setData({
      dateScrollX: dateScrollX,
      isFirstScroll: true
    })
  }
},
/**
 * rpx 转 px
 */
rpx2px(rpx) {
  return rpx / 750 * wx.getSystemInfoSync().windowWidth;
},
/**
 * px 转 rpx
 */
px2rpx(px) {
  // px = rpx / 750 * wx.getSystemInfoSync().windowWidth;
  return px * 750 / wx.getSystemInfoSync().windowWidth;
}
})

```

book.wxml代码

```

<wx:module="item">
  var getTypeByStatus = function(obj) {
    switch (obj.status) {
      case 0:
        return 'mine'
    }
  }

```

```

        break;
    case 1:
        return 'reservation'
        break;
    case 2:
        return 'soldout'
        break;
    }
}
module.exports.getTypeByStatus = getTypeByStatus;
</wxs>

<!-- 选择时间-->
<scroll-view scroll-x class='date ' scroll-left='{{dateScrollX}}'>
    <view class='common-flex-row data-margin'>
        <view class='common-flex-row' id='{{index}}' bindtap='chooseDate' wx:for='{{date}}' wx:for-index="index" wx:key='item'>
            <view class="common-flex-column {{datePosition==index?'time-select':'time-unselect'}}">
                <text>{{item.title}}</text>
                <text>{{item.subTitle}}</text>
            </view>
            <view class='w16rpx' />
        </view>
    </view>

</scroll-view>
<!-- 选择时间-->

<!-- 选择场次-->
<scroll-view scroll-x>
    <view class='common-flex-row session'>
        <view class='common-flex-row' wx:for='{{session}}' wx:for-index="index" wx:key='item'>
            <text class="{{sessionPosition==index?'session-select':'session-unselect'}}" bindtap='chooseSession' id='{{index}}'>{{item.name}}</text>
            <view class='w80rpx' />
        </view>
    </view>
</scroll-view>

<!-- 选择场次-->
<!-- 中间-->

<view class='item'>
    <view class='mask' />
    <!-- 左边时间-->
    <movable-area class='movable-area-left' style='height:{{currentH + blockH+10}}px;'>
        <movable-view animation=' y="{{top}}" direction="vertical" out-of-bounds class='movable-view-left' disabled='false' style='height:{{offsetH+100+blockH/2}}px;'>
            <view style='margin:{{offsetTop}}px 0px 0px 0px; '>
                <view class='h29rpx' />
                <text class='left' wx:for='{{time}}' wx:key='i'>{{item}}</text>
            </view>
        </movable-view>
    </movable-area>
    <!-- 左边时间-->

```

```

<!-- 右边块-->
<view class='item-right' style='height:{{currentH + blockH}}px; '>
  <!-- 上-->
  <movable-area class='movable-area-top' style='width:{{currentW}}px; '>
    <movable-view animation='' direction="horizontal" out-of-bounds class='movable-view-top' x="{{left}}" disabled='false' style='width: {{offsetW+1000+blockW/2}}px; '>
      <view style='margin-left:{{offsetLeft}}px;' class='item-right-top'>
        <view class='common-flex-row' wx:key='j' wx:for='{{area}}'>
          <text class='top'>{{item}}</text>
          <view class='w2rpx' />
        </view>
      </view>
    </movable-view>
  </movable-area>
  <!-- 上-->
  <!-- 下-->
  <view class='h2rpx' />

  <movable-area class='movable-area-content' style='height:{{currentH}}px;width:{{currentW}}px; '>
    <movable-view direction="all" out-of-bounds bindchange='bindChange' class='movable-view-content' style='width:{{offsetW }}px;height:{{offsetH}}px' x="{{contentX}}" y="{{contentY}}">
      <view class='common-flex-row' wx:key='m' wx:for='{{obj}}' wx:for-index='i'>
        <block wx:key='n' wx:for='{{obj[i]}}' wx:for-index='j'>
          <text class='content {{itema.getTypeByStatus(item)}}' wx:if='{{item.status==2}}' bindtap='choose' id='{{i}},{{j}}'></text>
          <view class='lock-big' wx:elif='{{item.status==5}}' bindtap='choose' id='{{i}},{{j}}'>
            <image src='/img/lock_big.png' class='lock-img-big'></image>
          </view>
          <text bindtap='choose' id='{{i}},{{j}}' class='content {{itema.getTypeByStatus(item)}}' wx:else>
            ¥{{item.price}}
          </text>
        </block>
      </view>
    </movable-view>
  </movable-area>
  <!-- 下-->
</view>
<!-- 右边块-->
</view>
<view class='common-flex-row middle-item-tip'>
  <view class='common-flex-row middle-item-tip-center'>
    <view class='reservation middle-item-tip-img' />
    <text class='item-text'>可预订</text>
  </view>
  <view class='common-flex-row middle-item-tip-center'>
    <view class='soldout middle-item-tip-img' />

```

```

    <text class='item-text'>已售</text>
  </view>

  <view class='common-flex-row middle-item-tip-center'>
    <view class='mine middle-item-tip-img' />
    <text class='item-text'>我的预订</text>
  </view>

</view>

<!-- 中间 -->
<!-- 选择提醒 -->
<text class='tip' wx:if='{{list.length==0}}'>最多可预订{{maxFieldLen}}张票，请尽量保持座位连续</text>
<!-- 选择提醒 -->
<!-- 选择列表 -->
<scroll-view scroll-x>
  <view class='common-flex-row l40rpx'>
    <view class='common-flex-row' wx:for='{{list}}' wx:key='{{item}}'>
      <view class='common-flex-column list-item'>
        <text>{{item.time}}</text>
        <text>{{item.area}}</text>
      </view>
      <view class='w24rpx' />
    </view>
  </view>
</scroll-view>
<!-- 选择列表 -->
<!-- 提交订单 -->
<view bindtap="bindViewTap" class='common-flex-column center'>
  <text class='confirm' bindtap='confirm'>{{submitTitle}}</text>
  <view class='h24rpx' />
</view>
<!-- 提交订单 -->

```

book.wxss代码

```

/**index.wxss**/

page {
  width: 100%;
}

.mask {
  position: absolute;
  width: 96rpx;
  height: 48rpx;
  top: 0;
  left: 0;
  z-index: 99;
  background-color: #f5f5f5;
}

.left {
  display: flex;
  font-size: 22rpx;
  align-items: center;

```

```
align-items: center;
justify-content: flex-end;
height: 58rpx;
width: 96rpx;
color: #101010;
margin: 0rpx 2rpx 2rpx 0rpx;
}
```

```
.content {
display: flex;
font-size: 22rpx;
align-items: center;
justify-content: center;
height: 58rpx;
width: 96rpx;
color: #fff;
margin: 0rpx 2rpx 2rpx 0rpx;
background-color: #4cae62;
}
```

```
.top {
display: flex;
font-size: 22rpx;
align-items: center;
justify-content: center;
height: 58rpx;
width: 96rpx;
color: #131313;
}
```

```
.item {
width: 100%;
display: flex;
position: relative;
/* height: 700rpx; */
flex-direction: row;
background-color: #f5f5f5;
}
```

```
.item-right {
display: flex;
flex-direction: column;
width: 100%;
height: 100%;
}
```

```
/* .flex-row {
display: flex;
flex-direction: row;
} */
```

```
.item-right-top {
width: 100%;
height: 58rpx;
display: flex;
flex-direction: row;
}
```

```
.movable-view-left {
display: flex;
```



```
flex-direction: column;
color: #fff;
width: 96rpx;
/** 调高 可以有上拉的空间*/
/* height: 1860rpx; */
}

.movable-area-left {
height: 700rpx;
width: 96rpx;
flex-shrink: 0;
overflow: hidden;
}

.movable-view-top {
display: flex;
flex-direction: column;
/** 调宽 可以有右拉的空间*/
width: 1750rpx;
height: 58rpx;
}

.movable-area-top {
height: 58rpx;
width: 654rpx;
overflow: hidden;
}

.movable-view-content {
display: flex;
flex-direction: column;
/**动态修改 内容区的宽高*/
width: 1568rpx;
/**动态修改 内容区的宽高*/
height: 992rpx;
}

.movable-area-content {
height: 100%;
width: 100%;
overflow: hidden;
}

.item-text {
margin-left: 10rpx;
font-size: 22rpx;
font-family: PingFang-SC-Regular;
color: rgba(119, 118, 118, 1);
}

/* * status
* 1 可预订
* 2 已售完
* 3 已选择
* 4 我的预订
* 5 锁定*/

/* 已售完 */

coldeut {
```

```
.solidout {
  background-color: #cdcdcd;
}

/* 可预订 */

.reservation {
  background-color: #4cae62;
}

/* 已选择 */

.select {
  background-color: #b7c147;
}

/* 我的预订 */

.mine {
  background-color: #f6843b;
}

.lock {
  background-color: #57c2f8;
}

.lock-small {
  display: flex;
  justify-content: center;
  align-items: center;
  width: 42rpx;
  height: 26rpx;
}

.lock-big {
  display: flex;
  font-size: 22rpx;
  align-items: center;
  justify-content: center;
  height: 58rpx;
  width: 96rpx;
  color: #fff;
  margin: 0rpx 2rpx 2rpx 0rpx;
  background-color: #57c2f8;
}

.session {
  margin-left: 20rpx;
  align-items: center;
  padding-top: 23rpx;
  padding-bottom: 29rpx;
}

.session-select {
  flex-shrink: 0;
  font-size: 28rpx;
  color: rgba(7, 158, 99, 1);
}

.session-unselect {
```

```
flex-shrink: 0;
font-size: 28rpx;
color: rgba(33, 33, 33, 1);
}

.time-select {
width: 182rpx;
height: 100rpx;
justify-content: center;
align-items: center;
border-top-left-radius: 10rpx;
border-top-right-radius: 10rpx;
background: rgba(76, 174, 99, 1);
}

.time-unselect {
width: 182rpx;
/* border: 1rpx solid rgb(250, 248, 248); */
height: 100rpx;
justify-content: center;
align-items: center;
border-top-left-radius: 10rpx;
border-top-right-radius: 10rpx;
background: #fff;
box-shadow: 0rpx 0rpx 6rpx 0rpx rgba(220, 220, 220, 1);
}

.time-select text {
font-size: 28rpx;
color: #fff;
}

.time-unselect text {
font-size: 28rpx;
color: #0d0d0d;
}

.confirm {
display: flex;
align-items: center;
justify-content: center;
width: 620rpx;
height: 88rpx;
background: #53AD4B;
border-radius: 44px;
color: #fff;
font-size: 34rpx;
align-self: center;
}

.list-item {
width: 148rpx;
height: 98rpx;
background: rgba(255, 255, 255, 1);
border: 2rpx solid rgba(246, 132, 59, 1);
border-radius: 10rpx;
align-items: center;
justify-content: center;
margin-bottom: 33rpx;
margin-left: 27rpx;
```

```
margin-top: 27rpx;
}

.list-item text {
  color: #f86b24;
  font-size: 22rpx;
}

.tip {
  font-size: 22rpx;
  color: rgba(71, 71, 71, 1);
  align-self: center;
  justify-content: center;
  display: flex;
  margin-top: 25rpx;
  margin-bottom: 95rpx;
}

.center {
  align-items: center;
  justify-content: center;
}

.date {
  display: flex;
  /* margin-left: 20rpx; */
  margin-top: 15rpx;
  height: 110rpx;
}

.w16rpx {
  width: 16rpx;
}

.h24rpx {
  height: 24rpx;
}

.w2rpx {
  width: 2rpx;
}

.w24rpx {
  width: 24rpx;
}

.w80rpx {
  width: 80rpx;
}

.h22rpx {
  height: 22rpx;
}

.h29rpx {
  height: 29rpx;
}

.h2rpx {
  height: 2rpx;
}
```

```
.l40rpx {
  margin-left: 40rpx;
}

.data-margin {
  margin-top: 5rpx;
  margin-left: 20rpx;
}

.middle-item {
  padding-top: 10rpx;
  background-color: #f5f5f5;
}

.middle-item-tip {
  justify-content: space-around;
  padding-bottom: 21rpx;
  margin-top: 21rpx;
}

.middle-item-tip-center {
  align-items: center;
}

.middle-item-tip-img {
  width: 42rpx;
  height: 26rpx;
}

.lock-img {
  width: 12rpx;
  height: 16rpx;
}

.lock-img-big {
  width: 21rpx;
  height: 28rpx;
}
```

movie界面效果展示



movie.js代码

```
Page({
  /**
   * 页面的初始数据
   */
  data: {
    dataList:[
      {
        goods_id:1,
        goods_title:'你好，李焕英',
        goods_img:'../img/movie1.png',
        goods_score:'9.5',
        goods_director:'贾玲',
        goods_actor:'贾玲，张小斐，沈腾...',
        goods_price:100
      },{
        goods_id:2,
        goods_title:'人潮汹涌',
        goods_img:'../img/movie2.png',
        goods_score:'9.1',
```

```

    goods_director:'饶晓志',
    goods_actor:'刘德华, 肖央, 万茜...',
    goods_price:100
  }, {
    goods_id:3,
    goods_title:'唐人街探案3',
    goods_img:'../img/movie3.png',
    goods_score:'8.8',
    goods_director:'陈思诚',
    goods_actor:'王宝强, 李昊然, 妻夫木聪...'
  },
  goods_price:100
}, {
  goods_id:4,
  goods_title:'刺杀小说家',
  goods_img:'../img/movie4.png',
  goods_score:'8.6',
  goods_director:'路阳',
  goods_actor:'雷佳音, 杨幂, 董子健...'
}, {
  goods_id:5,
  goods_title:'封神榜: 哪吒重生',
  goods_img:'../img/movie5.png',
  goods_score:'8.7',
  goods_director:'赵霁',
  goods_actor:'杨天翔, 张赫, 宣晓鸣...'
}
],
},
onLoad(){
  wx.request({
    url: 'http://localhost:8080/XCXTEST/demo',
    data:{
    },
    method:'GET',
    header: {
      'Content-Type': 'application/x-www-form-urlencoded',
      "Accept": "application/json;charset=utf-8"
    },
    success :(res)=> {
    },
    fail:function(res){
      console.log(".....fail.....");
    }
  })
},
// 事件处理函数
navigateToPage:function(e) { //e是获取到的点击数据
  wx.setStorageSync("dataList",this.data.dataList);
  // var name= e.currentTarget.dataset.name
  console.log(e.currentTarget.id)
  console.log( e.currentTarget.dataset.name);
  for(var index in this.data.dataList){ //循环遍历数组
    if(e.currentTarget.id==this.data.dataList[index]. goods_id){ //如果点击的下标与电影id对应
      wx.navigateToPage({url:'../pages/movieDetail/movieDetail?id='+this.data.dataList[index].goods_id}); //则将这部电影数据以键值对形式存入缓存
    }
  }
}

```

```

wx.setStorageSync('movie', this.data.dataList[index])// 则将该电影数组以键值对方式存入缓存
console.log(this.data.dataList[index])

}
}
wx.redirectTo({

  url: '../book/book',
})
}
})

```

movie.wxml代码

```

<view class='list'>
  <block wx:for='{{dataList}}' wx:key='list' wx:for-item="item">
    <view class="list_item">
      <navigator url='{{item.goods_id}}' bindtap="navigateToPage" data-name='{{item.goods_title}}' id='{{item.goods_id}}' data-showType='{{item.showType}}'>
        <view class='img'>
          <image src="{{item.goods_img}}" mode="scaleToFill"/>
        </view>
        <view class='info'>
          <view class='title'>{{item.goods_title}}</view>
          <view class='score'>评分: {{item.goods_score}}</view>
          <view class='actor'>导演: {{item.goods_director}}</view>
          <view class="actor">主演: {{item.goods_actor}}</view>
          <view class="price">价格: ¥{{item.goods_price}}</view>
        </view>
      </navigator>
      <view class='clear'></view>
    </view>
  </block>
</view>

```

movie.wxss代码

```

.clear{
  clear: both;
  overflow: hidden;
}
navigator{
  display:inline;
}
.list{
  margin-top:5px;
}

.list .list_item{
  margin-top:5px;
  padding:10px;
  height:120px;
  border-bottom:1px solid #E8E8E8;
}

.list .list_item .img{
  float:left;
  width:30%;
  height:100%;
}

.list .list_item .img image{

```



```
width:80%;
height:100%;
margin-left: 5px;
}

.list .list_item .info{
width:65%;
float:left;
height:100px;
position:relative;
margin-bottom: 17px;
}

.list .list_item .info .title{
color:#333;
margin-left:5px;
font-size: 15px;
}

.list .list_item .info .score{
color: #FF8C00;
margin-left:5px;
margin-top:10px;
font-size:10px;
}

.list .list_item .info .actor{
color:#747474;
margin-left:5px;
margin-top: 10px;
font-size:10px;
}

.list .list_item .info .price{
color:#d62b72;
margin-left:5px;
margin-top: 10px;
font-size:10px;
}
```

order页面效果展示



order.js代码

```
var order="";
var i=0;
// pages/order/order.js
Page({

  /**
   * 页面的初始数据
   */
  data: {
    myDate: '',
    mySession: '',
    payList:[],
    dataList:[],
    currtab: 0,
    orderList:[
    ]
  },

  /**
   * 生命周期函数--监听页面加载
   */
  onLoad() {

    this.data.orderList=wx.getStorageSync("orderList")||[];
    console.log( this.data.orderList)
    this.setData(
      {
        orderList:this.data.orderList
      })
  }
})
```

order.wxml代码

```

<!-- 切换栏 -->
<view class="swiper-tab">
<text color='white'>我的订单</text>
</view>

<block wx:for="{{orderList}}" wx:key='list' wx:for-item="item">
<view class="list_item">
<view class="orderListTitle">
<text class="userHall">{{item.hall}}</text>
<text class="orderStatus">{{item.state}}</text>
</view>
<view class="orderListDetails">
<text class="userName">{{item.name}}</text>
<view class="productTime">电影场次: {{item.time}}</view>
<text class="productStatus">座位: {{item.status}}</text>
</view>
<view class="productCount">
<view>
<text>合计: ¥{{item.money}}</text>
</view>
</view> </view>
</block>

```

order.wxss代码

```

.swiper-tab {
height: 40px;
line-height: 40px;
background: #e26a80;
color:rgb(0, 0, 0) ;
display: flex;
position: relative;
z-index: 2;
flex-direction: row;
justify-content: center;
align-items: center;
border-bottom:1px solid white;
}

.swiper-tab-list {
margin: 0 30px;
padding: 0 4px;
font-size: 15px;
}

.on {
border-bottom:2px solid #fff;
color: #f5f5f5;
}

.navTopList {
display: flex;
width: 100%;
height: 70rpx;
background: #fff;
border-bottom: 1rpx solid #BEBEBE ;
margin-top:5px;
}

```

```
.navTopList .order-info {
  text-align: center;
}

.navTopList .order-info view {
  width: 56rpx;
  height: 56rpx;
  margin-left: 31rpx;
}

.navTopList .order-info text {
  font-size: 34rpx;
}

.navTopList .order-info text.active {
  color: #ff6662;
}

.navTopList .ywc,.navTopList .dfk,.navTopList .yqx {
  flex: 1;
}

/* 订单列表*/
.orderDetails {
  background: #fff;
  border-bottom: 20rpx solid #f5f5f5;
}

.orderListTitle {
  height: 100rpx;
  line-height: 100rpx;

  border-bottom: 1rpx solid #BEBEBE;
}

.orderListTitle .userHall {
  padding-right: 50rpx;
  margin-left: 20px;
}

.orderListTitle .orderStatus {
  float: right;
  margin-right: 20rpx;
  color: #74c56b;
  font-size: 34rpx;
}

.orderListTitle .unorderStatus {
  float: right;
  margin-right: 20rpx;
  color: #e04343;
  font-size: 34rpx;
}

.orderListDetails {
  margin-top: 15rpx;
}
```

```
height: 200rpx;
border-bottom: 1rpx solid #f3f3f3;
}

.orderListDetails .userName {
width: 100%;
margin-top: 10rpx;
margin-left: 20rpx;
color: #e26a80;
}

.orderListDetails .productTime {
width: 100%;
font-size:15px;
margin-top: 20rpx;
margin-left: 20rpx;
}

.orderListDetails .productStatus {
font-size:15px;
overflow: hidden;
display: -webkit-box;
-webkit-line-clamp: 2;
-webkit-box-orient: vertical;
margin-top: 20rpx;
margin-left: 20rpx;
}

.productCount {
height: 80rpx;
line-height: 80rpx;
border-bottom: 1rpx solid #f3f3f3;
}

.productCount>view {
float: right;
margin-right: 30rpx;
}
```

json文件就是默认的