



- 看到一堆zero 和 one
- 换成数字

```
0100110001101001001100000110011101001100011010010011000001110101010011000110100101000001011101010100100101000011
0011000001110101010011000110100100110000011001110100110001010011001101000111010001001100011010010100000101110100
0100100101000011001101000111010101001100010100110011010001100111010011000101001101000001011101010100110001101001
0011010001110101010010010100001100110100011101000100110001010011001100000111010001001001010000110011010001110101
0100110001101001001101000111010101001001010000110011000001110100010011000101001101000001011101010100110001010011
0011000001110100010011000101001101000001011101010100110001101001001101000110011101001100010100110011000001110100
0100100101000011001101000111010101001100011010010011010001110101010010010100001100110100011101010100110001010011
0100000101110101010011000101001100110000011101010100100101000011001101000111010101001100011010010011000001110100
0100100101000011001101000111010001001100011010010100000101110100010011000101001100110000011001110100110001101001
0011010001110101010011000110100100110100011001110100110001101001010000010111010001001100011010010011000001110101
01001001010000110011010001110100010011000110100101000001011101010011000110100100110100011101000100110001010011
0100000101110100010010010100001100110000011101000100110001010011010000010111010001001001010000110011000001110101
0100110001101001001100000110011101001100010100010011110100111101
```

- 按照ascii转换

```
Li0gLi0uLiAuIC0uLi0gLS4tLiAtIC4uLS4gLSAuLi4uIC4tLS0tIC4uLi4uIC0tLSAuLS0tLSAuLi4gLS0tIC4uLi4uIC4uLSAuLS0uIC4uLi0t
IC4tLiAtLS0gLi4uLi4gLiAtLi0uIC4tLiAuLi4tLSAtIC0tLSAtIC0uLi0gLQ==
```

- base64

```
Li0gLi0uLiAuIC0uLi0gLS4tLiAtIC4uLS4gLSAuLi4uIC4tLS0tIC4uLi4uIC0tLSAuLS0tLSAuLi4gLS0tIC4uLi4uIC4uLSAuLS0uIC4uLi0t
IC4tLiAtLS0gLi4uLi4gLiAtLi0uIC4tLiAuLi4tLSAtIC0tLSAtIC0uLi0gLQ==
```

- 摩斯密码

```
ALEXCTFTH1501S05UP3R05ECR3TOTXT
```

- 把o转换成\_

```
ALEXCTF{TH15_1S_5UP3R_5ECR3T_TXT}
```



[创作打卡挑战赛](#) >

[赢取流量/现金/CSDN周边激励大奖](#)