

# 真正入坑的第一天、、、

转载

aichengcan1181 于 2018-04-19 09:54:00 发布 157 收藏

文章标签: [python 数据库 php](#)


原文链接: <http://www.cnblogs.com/LOW-ctfer/p/8878075.html>

版权

ゴゴ仔叁么弄姑墟撤艇ctf二 = 叵迟寿五フ丰零堀砧天フ菴觸杜诺冰芥混 = 17么陌绳舜二炳Python(叵佻惹  
補寿五フ丰迤JAVA鄙沧拙舜传伶尢克杜诺圪フ呷回舜传箒python冑爲虱昵フ枝仆乎裁龄余骡ザザザ)叻二  
炳室骡吭丐龄颞 = 丑较二炳霆霸箒龄巫兽 = 叻二炳汎缜 = 倭二フ炳炳颞ザ叵佻诺昵篋攀龄二觶二フ丑ザ

ゴゴ么咆 = 蹂皖舜問杖二址№穀罗杵℃ = 鼻巷披二滌滌丰什贍 = 鄙昵台倭刀二箒制颞ザ刂旂吗透龄  
Web + 八街二打受坪迟冰迟乎混 = 霆霸舜龄丢勁炸乎夠ザザザ - 室骡宪龄敷舜乏距八步轮 = 仝夯昵箒互欧  
步引谎诀 = 墟杜佻给フ丑吭 = 兔冑迟呷龄 = 漕丑龄采咆衫ザ

\*\*\*\*\*



ゴゴ靛兔 = 摺开室骡珺埔墟床二フ亡劬失 = 咆杜圪招体天佻龄单劬丑宅或ザ佻丑昵距飀ザ

ゴゴsql準砵 x <https://github.com/Audi-1/sqli-labs> 闵兹引sql泮八

ゴゴ箒制龄巫兽 x PHPstudy 厥困专觶釐

ゴゴ1サ丑较準砵 = PHPstudy幼宏袒ザ

ゴゴ2サ许室骡罗竟禽罟制杖空 x

ゴゴゴゴ1サ兼任透顿菴攀---堵吓竟炳禽罟---

ゴゴゴゴ焼咆拏罗竟直彝曹政 = 堵吓乏政或鼻巷咆吓龄--佻忒幼甥或ザザザ

网站域名	网站目录
www.sqli-lab	E:\sqli-labs

站点管理

网站域名:

网站目录:  ..

第二域名:

网站端口:

说明:  
网站端口和第二域名可不填;  
网站端口不填默认为80;  
设置后请点保存按钮生成配置文件。  
站点设置同样适用于IIS7/IIS8/IIS6;  
站点列表右键可以进行导入导出。

ゴゴゴゴ2サ吒裁 = 兼任透顿菴樂-----扶弄HOST----- 討刪刪咆吓齡罗竟劬制笄互銜 + 怵畫笄丐銜 -

hosts - 记事本

文件(F) 编辑(E) 格式(O) 查看(V) 帮助(H)

```
127.0.0.1 localhost
127.0.0.1 www.sqli-labs-master.com
#129.168.107.1 www.xsslabelgg.com
```

ゴゴゴゴ3サ兼任透顿菴樂-----php评罟-----瀾叩愔覬评罟---

The image shows the 'phpStudy 设置' (phpStudy Settings) window. It is divided into four sections: Apache, PHP, MySQL, and MySQL 修改密码 (MySQL Change Password).

- Apache:** httpd端口: 80 (with a '端口检测' button), 网站目录: E:/sqli-labs-master/sqli (with a browse button), 默认首页: index.html index.php index.htm. Buttons: 取消, 应用.
- PHP:** 全局全量: Off, 错误显示: On, 脚本运行最长时间: 30 秒, 上传最大值: 2M. Buttons: 取消, 应用.
- MySQL:** 端口: 3306, 最大连接数: 512, 字符集: utf8, 数据库引擎: MyISAM. Buttons: 取消, 应用.
- MySQL 修改密码:** 原密码: [input], 新密码: [input], 修改 [button].

ゴゴ台曹政罗绢直彝 = 政或準碇丑较奎坎

ゴゴ燒咆圪湴餽喂轍八鼻巷越齡堵吓 = 須曆問迟裁:


# SQLi-LABS Page-1(Basic Challenges)

[Setup/reset Database for labs](#)

[Page-2 \(Advanced Injections\)](#)

[Page-3 \(Stacked Injections\)](#)

[Page-4 \(Challenges\)](#)



+ 叵佻诺呢醜悖霾氘二2333 -

\*\*\*\*\*靛兔霸榆浑嗽捻庙筏惋冻

[Setup/reset Database for labs](#)

圮沧肫企佛政劬龄惋冻丑昵迟栽龄

SETTING UP THE DATABASE SCHEMA AND POPULATING DATA IN TABLES:

Warning: mysql\_connect(): Access denied for user 'root'@'localhost' (using password: NO) in E:\sql-labs-master\sql-labs-master\sql-connections\setup-db.php on line 29  
[\*].....Could not connect to DB, check the creds in db-creds.inc: Access denied for user 'root'@'localhost' (using password: NO)

睇祀嗽捻庙迤撤夷贫 = 兽余厥困呢沧肫辙八富斫 = 歪旼庚彙拄弄sql-connection竟任奘丑龄

db-creds.inc + 讶云杻拄弄 - = 辙八富斫 + 沧肫政劬卹\root - = 葇欧焯刁

Setup/reset Database for labs

= 卹刀琿successful揖祀 = 妈丑

SETTING UP THE DATABASE SCHEMA AND POPULATING DATA IN TABLES:

```
[*].....Old database 'SECURITY' purged if exists
[*].....Creating New database 'SECURITY' successfully
[*].....Creating New Table 'USERS' successfully
[*].....Creating New Table 'EMAILS' successfully
[*].....Creating New Table 'UAGENTS' successfully
[*].....Creating New Table 'REFERERS' successfully
[*].....Inserted data correctly into table 'USERS'
[*].....Inserted data correctly into table 'EMAILS'
[*].....Old database purged if exists
[*].....Creating New database successfully
[*].....Creating New Table '13QXVIG3QT' successfully
[*].....Inserted data correctly into table '13QXVIG3QT'
[*].....Inserted secret key 'secret_WEVV' into table
```

毕丰兹卧焯弄呢迟裁龄

Welcome Dhakkan  
Please input the ID as parameter with numeric value

# SQLI DUMB SERIES-1

掘杮宸拙须曆鄙問迟裁 + 丌宠霸圮扶奔phpstudy龄惋冻丑诅间迟丰罗坎 -

\*\*\*\*\*臧歪\走 = 杮奎珽墉廬畚罨妃二 = 廬叵佻退街sql泮八龄舜书二  
\*\*\*\*\*

恁给丌丑 x

1サ台呢畚罨珽墉龄诣 = 寿phpstudy佻甯龄霸刃幼专譟 = 妈枢惹二觝曹夠 = 兽余佻甯狡卅的廬廬叵佻 = 丑  
较龄庇缙竟任鈺 妃僕梟幫丌丰ザ

2サ妈枢招丰less扶奔拙间颞 = 窺妈戢龄less2扶奔龄旼借传拙403 = 迟旼霸拂助丌丑準碣 = 窺妈戢龄廬呢  
专朶切拈index.php政或二index2.php = 连妃拙夭佻2333

3サ#呢泮釐龄2333 + 叵佻诺呢徑強咗二 = 圮政host龄旼借沧拙刼掬 -

\*\*\*\*\*庚诚廬迟乎夠二 = 漕掬龄佻咆衫\*\*\*\*\*

转载于:<https://www.cnblogs.com/LOW-ctfer/p/8878075.html>