

# BUUCTF Linux Labs

原创

仲璧 于 2022-04-10 20:35:43 发布 775 收藏 1

分类专栏: [CTF](#) 文章标签: [CTF](#)

版权声明: 本文为博主原创文章, 遵循 [CC 4.0 BY-SA](#) 版权协议, 转载请附上原文出处链接和本声明。

本文链接: [https://blog.csdn.net/m0\\_49025459/article/details/124085182](https://blog.csdn.net/m0_49025459/article/details/124085182)

版权



[CTF 专栏收录该内容](#)

47 篇文章 1 订阅

订阅专栏

题目

题目

解题快手榜

×

## Linux Labs

### 1

2020年10月24日 更新: 目前所有靶机均能直接访问互联网。

点击启动靶机可以启动一台安装好了 LAMP 的机器。

但由于目前一个账户只能同时启动一台靶机, 您如果有需要建议浏览器开一个隐私窗口, 注册一个新账号来启动这个靶机。

ssh 用户名: root 密码: 123456 地址和端口为动态分配的。

#### 靶机信息

剩余时间: 10613s

node4.buuoj.cn:26429

<http://61a2434f-975b-4242-936e-7d05d99aef34.node4.buoj.cn:81>

销毁靶机

靶机续期

已解锁

Flag

提交

CSDN @仲璧

打开kali:

```
ssh -p 端口号 root@node4.buuoj.cn
```

```
(kali㉿kali)-[~]  
└─$ ssh -p 26429 root@node4.buuoj.cn
```

输入yes

```
The authenticity of host '[node4.buuoj.cn]:26429 ([117.21.200.166]:26429)' ca  
n't be established.  
ED25519 key fingerprint is SHA256:zLVq26osNe3JKksKmziDdEAFsB7EujHY1scqOFwSRqQ  
.  
This key is not known by any other names  
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
```

输入密码: 123456

```
known hosts.  
root@node4.buuoj.cn's password:
```

访问操作

```
cd /  
ls  
cat flag.txt
```

```
root@out:~# cd /  
root@out:/# ls  
bd_build dev get-pip.py lib64 opt run sys var  
bin etc home media proc sbin tmp  
boot flag.txt lib mnt root srv usr  
root@out:/# cat flag.txt  
flag{261e464a-a4b2-4e3e-90c3-a804368707c8}  
root@out:/#
```