

# BugkuCTF~Mobile~WriteUp

转载

[weixin\\_30387799](#) 于 2019-03-09 11:32:00 发布 318 收藏 1

原文链接: <http://www.cnblogs.com/qfm/p/10498586.html>

版权  
韵迭, 弄姑讶舜 丌 簌兹五 Android 迨吗刂枏龄 WriteUp 旉侏肫霆霸龄什舜书 = 乏敏返夭寇盾亘奕浇, 受珲  
专

丌 裁龄东畝ザ

丌 サ signin

耆焯 x 夔缜诗サ 韮恒刂枏

Topic Link x [https://ctf.bugku.com/files/109fa055c682e810684427c123a0833b/sign\\_in.zip](https://ctf.bugku.com/files/109fa055c682e810684427c123a0833b/sign_in.zip)

signin  
50

君运至此, 幸苦至甚。窃谓欲状, 亦合依例, 并赐此题。(未吧, 整个到熟个身。)

来源: 第七届山东省大学生网络安全技能大赛


sign\_in.zip

Flag


Submit

signin 轶任仑结 x

1. 弄姑畝曆



2. 彙辙八龄孝第九肫诵旵 = 传眺祀 x Try again.



### 题直刃朽 x

1. 删弄姑昕撤该第2 Android killer 巫兽迟街斐缜诗 = 佻呢专胞夥拂吻Java 準砣 (肫焯专夥愕恣 = 肫咬借 Android killer 冕劬匪巫兽幼专妃第) = 佻呢迟幼专胞阉翎餮仲拂吻惹霸龄Java 準砣 (dex2jar-2.0 巫兽龄到第)



2. 兔封诚APK 猷庇 = 揖姿class.dex 制dex2jar-2.0 龄直彝丑 = 攉佢class.dex 竟任徂制寿庚龄.jar 竟任

```
E:\Android\MyAndroid reverse\dex2jar-2.0>d2j-dex2jar.bat classes.dex
dex2jar classes.dex -> .\classes-dex2jar.jar
Detail Error Information in File .\classes-error.zip
Please report this file to http://code.google.com/p/dex2jar/issues/entry if possible.
E:\Android\MyAndroid reverse\dex2jar-2.0>_
```

3. 到第jd-gui-1.4.0.jar 巫兽技弄距甃2 弗龄.jar 竟任

classes-dex2jar.jar

对应的.jar文件

```
package re.sdnisc2018.sdnisc_apk1;

import android.content.Context;
import android.os.Bundle;
import android.support.v7.app.AppCompatActivity;
import android.util.Base64;
import android.view.View;
import android.view.View.OnClickListener;
import android.widget.Button;
import android.widget.EditText;
import android.widget.Toast;

public class MainActivity
    extends AppCompatActivity
{
    private String getFlag()
    {
        return getBaseContext().getString(2131427360);
    }

    private void showMsgToast(String paramString)
    {
        Toast.makeText(this, paramString, 1).show();
    }
}
```

#### 4. 揖交餓仲惹霸齡Java準仕碇

```

package re.sdnisc2018.sdnisc_apk1;

import android.content.Context;
import android.os.Bundle;
import android.support.v7.app.AppCompatActivity;
import android.util.Base64;
import android.view.View;
import android.view.View.OnClickListener;
import android.widget.Button;
import android.widget.EditText;
import android.widget.Toast;

public class MainActivity
    extends AppCompatActivity
{
    private String getFlag()
    {
        return getBaseContext().getString(2131427360);
    }

    private void showMsgToast(String paramString)
    {
        Toast.makeText(this, paramString, 1).show();
    }

    public void checkPassword(String paramString)
    {
        if (paramString.equals(new String(Base64.decode(new StringBuffer(getFlag()).reverse().toString(), 0))))
        {
            showMsgToast("Congratulations !");
            return;
        }
        showMsgToast("Try again.");
    }

    protected void onCreate(Bundle paramBundle)
    {
        super.onCreate(paramBundle);
        setContentView(2131296283);
        ((Button)findViewById(2131165261)).setOnClickListener(new View.OnClickListener()
        {
            public void onClick(View paramAnonymousView)
            {
                paramAnonymousView = ((EditText)MainActivity.this.findViewById(2131165253)).getText().toString();
                MainActivity.this.checkPassword(paramAnonymousView);
            }
        });
    }
}

```

刂扶仕砭叵矫 x

1. 圮 checkPassword() 刃隲弗 = 刪斲笱庠龄轍八昵听步礮 = 且笱庠盾匿畚龄孝第丸昵绕迳getFlag() 刃隲迳圉龄偷爻臻采咆龄ザ
2. 尉直性宠体制getFlag() 刃隲弗 = 莽爰兼迳圉偷ザ

刂夂getFlag() 刃隹仕碣屨殼 x

```
return getContext().getString(2131427360);
```

刃隹岭迎囤偷咒 °C2131427360№ 屨兹 = 誠孝第九\除準ID= 丌齡忒儻圮R.java竟任弗 = ID寿庚岭除準丌齡忒儻圮strings.xml竟任弗ザ

4. 圮R.java竟任弗 = 拂抄除準ID

```
MainActivity.class R.class
public static final class string
{
    public static final int abc_action_bar_home_description = 2131427328;
    public static final int abc_action_bar_up_description = 2131427329;
    public static final int abc_action_menu_overflow_description = 2131427330;
    public static final int abc_action_mode_done = 2131427331;
    public static final int abc_activity_chooser_view_see_all = 2131427332;
    public static final int abc_activitychooserview_choose_application = 2131427333;
    public static final int abc_capital_off = 2131427334;
    public static final int abc_capital_on = 2131427335;
    public static final int abc_font_family_body_1_material = 2131427336;
    public static final int abc_font_family_body_2_material = 2131427337;
    public static final int abc_font_family_button_material = 2131427338;
    public static final int abc_font_family_caption_material = 2131427339;
    public static final int abc_font_family_display_1_material = 2131427340;
    public static final int abc_font_family_display_2_material = 2131427341;
    public static final int abc_font_family_display_3_material = 2131427342;
    public static final int abc_font_family_display_4_material = 2131427343;
    public static final int abc_font_family_headline_material = 2131427344;
    public static final int abc_font_family_menu_material = 2131427345;
    public static final int abc_font_family_subhead_material = 2131427346;
    public static final int abc_font_family_title_material = 2131427347;
    public static final int abc_search_hint = 2131427348;
    public static final int abc_searchview_description_clear = 2131427349;
    public static final int abc_searchview_description_query = 2131427350;
    public static final int abc_searchview_description_search = 2131427351;
    public static final int abc_searchview_description_submit = 2131427352;
    public static final int abc_searchview_description_voice = 2131427353;
    public static final int abc_shareactionprovider_share_with = 2131427354;
    public static final int abc_shareactionprovider_share_with_application = 2131427355;
    public static final int abc_toolbar_collapse_description = 2131427356;
    public static final int app_name = 2131427357;
    public static final int search_menu_title = 2131427358;
    public static final int status_bar_notification_info_overflow = 2131427359;
    public static final int toString = 2131427360;
}
```

楸捻除準ID寿庚岭屨釘吓°CtoString№圮strings.xml竟任弗抄制寿庚岭偷


```
strings.xml
19 <string name="abc_font_family_headline_material">sans-serif</string>
20 <string name="abc_font_family_menu_material">sans-serif</string>
21 <string name="abc_font_family_subhead_material">sans-serif</string>
22 <string name="abc_font_family_title_material">sans-serif-medium</string>
23 <string name="abc_search_hint">Search...</string>
24 <string name="abc_searchview_description_clear">Clear query</string>
25 <string name="abc_searchview_description_query">Search query</string>
26 <string name="abc_searchview_description_search">Search</string>
27 <string name="abc_searchview_description_submit">Submit query</string>
28 <string name="abc_searchview_description_voice">Voice search</string>
29 <string name="abc_shareactionprovider_share_with">Share with</string>
30 <string name="abc_shareactionprovider_share_with_application">Share with %s</string>
31 <string name="abc_toolbar_collapse_description">Collapse</string>
32 <string name="app_name">sdnisc_apk1</string>
33 <string name="search_menu_title">Search</string>
34 <string name="status_bar_notification_info_overflow">999+</string>
35 <string name="toString">991YiZW0z81ZhFjzFjXdwk3X1k2XzIXZIt3ZhxmZ№</string>
36 </resources>
```

5. 討孝第九°C991YiZW0z81ZhFjzFjXdwk3X1k2XzIXZIt3ZhxmZ№ 退銜吏軻(reverse()) 刃隹徬晓) = 燒吧退銜base64鯨富

ZmxhZ3t1ZX1zX2k1X3kwdXJzFjFhZ18z0WZiY199

加密 解密  解密结果以16进制显示  
flag{Her3\_i5\_y0ur\_flag\_39fbc\_}

6. 浑诛轍八步碣孝第九



get flag:

```
flag{Her3_i5_y0ur_f1ag_39fbc_}
```

互サmobile1(gctf)

耆焯 x 叟缜诗サ萑恒荆枏

Topic Link x [https://ctf.bugku.com/files/7c43d693909d6dbfd7ad7d5a0866548b/gctf\\_mobile1.apk](https://ctf.bugku.com/files/7c43d693909d6dbfd7ad7d5a0866548b/gctf_mobile1.apk)

mobile1(gctf)  
100




mobile1(gctf) 轶任仑结 x

1. 弄姑畝曆



2. 彙辙八龄孝第丸肱诵旻 = 传眺祀 x 锒诵!




### 顛直判柝 x

1. 兔對誠APK鯨屍 = 揖姿class.dex制dex2jar-2.0齡直彝丑 = 攤佢class.dex竟任值制寿庚齡.jar竟任

```
E:\Android\MyAndroid reverse\dex2jar-2.0>d2j-dex2jar.bat classes.dex
dex2jar classes.dex -> .\classes-dex2jar.jar
Detail Error Information in File .\classes-error.zip
Please report this file to http://code.google.com/p/dex2jar/issues/entry if possible.
E:\Android\MyAndroid reverse\dex2jar-2.0>_
```

2. 剗解jd-gui-1.4.0.jar巫兽技弃距飏1弗齡.jar竟任



3. 揖姿丕霸齡Java準仕破

```
package com.example.crackme;
```

```
import android.app.Activity;
import android.os.Bundle;
import android.view.Menu;
import android.view.MenuInflater;
import android.view.View;
import android.view.View.OnClickListener;
```

```

import android.widget.Button;
import android.widget.EditText;
import android.widget.Toast;
import java.security.MessageDigest;
import java.security.NoSuchAlgorithmException;

public class MainActivity
    extends Activity
{
    private Button btn_register;
    private EditText edit_sn;
    String edit_userName;

    private boolean checkSN(String paramString1, String paramString2)
    {
        if (paramString1 != null) {
            try
            {
                if (paramString1.length() == 0) {
                    return false;
                }
                if ((paramString2 != null) && (paramString2.length() == 22))
                {
                    Object localObject = MessageDigest.getInstance("MD5");
                    ((MessageDigest)localObject).reset();
                    ((MessageDigest)localObject).update(paramString1.getBytes());
                    paramString1 = toHexString(((MessageDigest)localObject).digest(), "");
                    localObject = new StringBuilder();
                    int i = 0;
                    while (i < paramString1.length())
                    {
                        ((StringBuilder)localObject).append(paramString1.charAt(i));
                        i += 2;
                    }
                    paramString1 = ((StringBuilder)localObject).toString();
                    boolean bool = ("flag{" + paramString1 + "}").equalsIgnoreCase(paramString2);
                    if (bool) {
                        return true;
                    }
                }
            }
            catch (NoSuchAlgorithmException paramString1)
            {
                paramString1.printStackTrace();
            }
        }
        return false;
    }

    private static String toHexString(byte[] paramArrayOfByte, String paramString)
    {
        StringBuilder localStringBuilder = new StringBuilder();
        int j = paramArrayOfByte.length;
        int i = 0;
        while (i < j)
        {
            String str = Integer.toHexString(paramArrayOfByte[i] & 0xFF);

```



```

        if (str.length() == 1) {
            localStringBuilder.append('0');
        }
        localStringBuilder.append(str).append(paramString);
        i += 1;
    }
    return localStringBuilder.toString();
}

public void onCreate(Bundle paramBundle)
{
    super.onCreate(paramBundle);
    setContentView(2130968601);
    setTitle(2131099677);
    this.edit_userName = "Tenshine";
    this.edit_sn = ((EditText)findViewById(2131492945));
    this.btn_register = ((Button)findViewById(2131492946));
    this.btn_register.setOnClickListener(new View.OnClickListener()
    {
        public void onClick(View paramAnonymousView)
        {
            if (!MainActivity.this.checkSN(MainActivity.this.edit_userName.trim(),
MainActivity.this.edit_sn.getText().toString().trim()))
            {
                Toast.makeText(MainActivity.this, 2131099678, 0).show();
                return;
            }
            Toast.makeText(MainActivity.this, 2131099675, 0).show();
            MainActivity.this.btn_register.setEnabled(false);
            MainActivity.this.setTitle(2131099673);
        }
    });
}

public boolean onCreateOptionsMenu(Menu paramMenu)
{
    getMenuInflater().inflate(2131558400, paramMenu);
    return true;
}
}

```

刂夂仕碣叵矫 x

1. 封丌霸直尻宠圯checkSN() 刃隲丐 = 刂夂诚刃隲受坪 = 霆霸激跌处丰杙任 x

ゴゴ1. 筭丌丰又隲paramString1 !=null&孝第丸閉龐 !=0

ゴゴ2. 筭互丰又隲paramString2 !=null&孝第丸閉龐 ==22

ゴゴ3. 封筭丌丰又隲paramString1 绕迺MD5荔富采吔 = 姿兼徒隲体绊或孝第丸(16体)

ゴゴ4. 筭丐距金 曆亭甥龄孝第丸且 °Cflag{} №绊后(16+6=22) 霸且又隲paramString2盾筏

2. 肫丐丌距龄刂夂叵矫 = 霆霸拂吻又隲paramString1咒又隲paramString2龄焱偷惋冻 = 搯紂谳谳第二  
checkSN() 刃隲 = 搯紂采吔封直性宠圯onCreate() 刃隲丐

```

public void onCreate(Bundle paramBundle)
{
    super.onCreate(paramBundle);
    setContentView(2130968601);
    setTitle(2131099677);
    this.edit_userName = "Tenshine";
    this.edit_sn = ((EditText)findViewById(2131492945));
    this.btn_register = ((Button)findViewById(2131492946));
    this.btn_register.setOnClickListener(new View.OnClickListener()
    {
        public void onClick(View paramAnonymousView)
        {
            if (!MainActivity.this.checkSN(MainActivity.this.edit_userName.trim(),
MainActivity.this.edit_sn.getText().toString().trim()))
            {
                Toast.makeText(MainActivity.this, 2131099678, 0).show();
                return;
            }
            Toast.makeText(MainActivity.this, 2131099675, 0).show();
            MainActivity.this.btn_register.setEnabled(false);
            MainActivity.this.setTitle(2131099673);
        }
    });
}

```

刂杓诚刃嗽叵矫 x

ゴゴ1. paramString1="Tenshine"


ゴゴ2. paramString2="冨岸辙八龄孝第丸"

3. 旨烧矫遥二又嗽paramString1龄脩 = 昕擲對paramString1返衙MD5荔富 = 姿兼倥嗽体 = 且"flag{}"返衙绊后  
 徂制勣绎FLAG

md5(Tenshine, 32) = b9c77224ff234f27ac6badf83b855c76

FLAG x flag {bc72f242a6af3857}

4. 浑诛辙八步礲孝第丸



get flag:

```
flag{bc72f242a6af3857}
```

巧サmobile2(gctf)

耆炳 x 斐缜诗サ斐恒荆朽サ脂淫

Topic Link x <https://ctf.bugku.com/files/d1a2520c55a335d83646ce8a724dbebb/eb1fd250-7c32-418c-b287-1b00dcc53852.zip>

mobile2(gctf)  
100

eb1fd250-7c32-...

Flag Submit


颞直荆朽

1. 丑较丑杜龄昵zip桂引龄竟任 = 专迤咒APK丿裁 = 五昵封兼咆缆政\ .apk = 叵昵登专胞或劬宏褪 = 台肱兔斐缜诗佛啣準砣 \*\_\*

2. 兔封诚庇缜匈觳庇 = 揖窆class.dex制dex2jar-2.0龄直彝丑 = 攉佢class.dex竟任徂制寿庚龄. jar竟任

```
E:\Android\MyAndroid reverse\dex2jar-2.0>d2j-dex2jar.bat classes.dex
dex2jar classes.dex -> .\classes-dex2jar.jar
Detail Error Information in File .\classes-error.zip
Please report this file to http://code.google.com/p/dex2jar/issues/entry if possible.
E:\Android\MyAndroid reverse\dex2jar-2.0>_
```

3. 刳觥jd-gui-1.4.0.jar巫兽技奔距觥1弗龄.jar竟任



#### 4. 揖窆兀霸齡Java準仕破

```
package com.example.mmsheniq;
```

```

import android.annotation.SuppressLint;
import android.app.AlertDialog.Builder;
import android.content.BroadcastReceiver;
import android.content.ComponentName;
import android.content.Context;
import android.content.DialogInterface;
import android.content.DialogInterface.OnClickListener;
import android.content.Intent;
import android.content.IntentFilter;
import android.content.pm.PackageInfo;
import android.content.pm.PackageManager;
import android.content.res.AssetManager;
import android.net.ConnectivityManager;
import android.net.NetworkInfo;
import android.net.Uri;
import android.os.Bundle;
import android.support.v7.app.ActionBarActivity;
import android.telephony.SmsManager;
import android.text.Editable;
import android.view.View;
import android.view.View.OnClickListener;
import android.widget.Button;
import android.widget.EditText;
import android.widget.Toast;
import java.io.File;
import java.io.FileOutputStream;
import java.io.IOException;
import java.io.InputStream;
import java.io.PrintStream;
import java.util.ArrayList;
import java.util.List;

```

```
@SuppressLint({"DefaultLocale"})
```

```
public class MainActivity
    extends ActionBarActivity
```

```
{
```

```
    Button button1;
```

```
    Button button2;
```

```
    private static final String TAG = "MainActivity";
```








```

if (paramIntent.getAction().equals("android.intent.action.PACKAGE_ADDED"))
{
    paramContext.startActivity(new Intent(paramContext, MainActivity.class));
    System.out.println("  Ok!=====");
    paramIntent = new Intent("android.intent.action.MAIN");
    paramIntent.addFlags(268435456);
    paramIntent.addCategory("android.intent.category.LAUNCHER");
    paramIntent.setComponent(new ComponentName("com.example.com.android.trogoogle",
"com.example.com.android.trogoogle.MainActivity"));
    paramContext.startActivity(paramIntent);
    System.out.println("  Ok!=====");
    SmsManager.getDefault().sendTextMessage("15918661173", null, " Tro instanll Ok", null, null);
    System.out.println("  Ok!=====");
}
}
}
}
}

```

5. 刁扶仕矽幼沧拙抄制仆乎兹五flag龄绅紉= 吒取轶任芑专脆达街= 受珲瓠旦揖祀= 五昵獭浑flag巨胞藕圮招  
丰竟任弗= 兼弗巨疗龄竟任 霸拙strings.xmlサAndroidManifest.xml = 甯巫兽010 Editor扶奔迢街措紉= 受  
珲flag忒圮五AndroidManifest.xml弗



get flag:

```
flag{8d6efd232c63b7d2}
```

update + ing

转载于:<https://www.cnblogs.com/qftm/p/10498586.html>