

# CTFweb篇——签到题

原创

阿粒 于 2019-09-21 14:55:06 发布 9095 收藏 7

分类专栏: [CTFweb基础篇——菜鸟学习笔记](#) 文章标签: [CTF](#)

版权声明: 本文为博主原创文章, 遵循 [CC 4.0 BY-SA](#) 版权协议, 转载请附上原文出处链接和本声明。

本文链接: <https://blog.csdn.net/suiyideAli/article/details/101107580>

版权



[CTFweb基础篇——菜鸟学习笔记](#) 专栏收录该内容


7 篇文章 0 订阅

订阅专栏

0x00 前言

一个简单的CTF签到题。

0x01.打开靶场



## I am a sign-in question

Hello everyone,  
I am Wanig Maomao.  
I heard that you learned the http protocol.  
So can you find the flag?

<https://blog.csdn.net/suiyideAli>

0x02 打开靶场地址发现信息, 通过题目提示信息使用burpsuit抓包

Burp Suite Professional v2.0.09beta - Temporary Project - licensed to Uncia

Burp Project Intruder Repeater Window Help

Dashboard Target Proxy Intruder Repeater Sequencer Decoder Comparer Extender Proj

Intercept HTTP history WebSockets history Options

Request to http://39.98.88.18:49000

Forward Drop Intercept is on Action

Raw Headers Hex

```

ET /web1/ HTTP/1.1
Host: 39.98.88.18:49000
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:69.0) Gecko/20100101 Firefox/69.0
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Language: zh-CN,zh;q=0.8,zh-TW;q=0.7,zh-HK;q=0.6;q=0.5
Accept-Encoding: gzip, deflate
Connection: close
Upgrade-Insecure-Requests: 1
Cache-Control: max-age=0
  
```

Scan	
Send to Intruder	Ctrl+I
<b>Send to Repeater</b>	<b>Ctrl+R</b>
Send to Sequencer	
Send to Comparer	
Send to Decoder	
Request in browser	▶
Engagement tools	▶
Change request method	
Change body encoding	
Copy URL	
Copy as curl command	
Copy to file	
Paste from file	
Save item	
Don't intercept requests	▶
Do intercept	▶
Convert selection	▶
URL-encode as you type	
Cut	Ctrl+X
Copy	Ctrl+C
Paste	Ctrl+V
Message editor documentation	
Proxy interception documentation	

<https://blog.csdn.net/suiyideAll>

Send to Repeater 然后查看 Repeater

Go Cancel < ▾ > ▾

**Request**

Raw Headers Hex

```
GET /web1/ HTTP/1.1
Host: 39.98.88.18:49000
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:69.0) Gecko/20100101 Firefox/69.0
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Language: zh-CN,zh;q=0.8,zh-TW;q=0.7,zh-HK;q=0.5,en-US;q=0.3
Accept-Encoding: gzip, deflate
Connection: close
Upgrade-Insecure-Requests: 1
Cache-Control: max-age=0
```

<https://blog.csdn.net/suiyideAli>

点击GO

**Response**

Raw Headers Hex HTML Render

Name	Value
HTTP/1.1	200 OK
Date	Sat, 21 Sep 2019 06:49:51 GMT
Server	Apache/2.4.7 (Ubuntu)
X-Powered-By	PHP/5.5.9-1ubuntu4.24
Fl4g	DO_YOU_LOVE_HACK
Vary	Accept-Encoding
Content-Length	212
Connection	close
Content-Type	text/html

<https://blog.csdn.net/suiyideAli>

在Response中 Headers 找到Flag

ok完成。