




SpringBoot启动报错：之sun.misc.Unsafe.park(Native Method)

原创

渣渣楚  于 2020-02-19 15:05:37 发布  2987  收藏

分类专栏: [Java异常处理](#) 文章标签: [java spring boot](#)

版权声明: 本文为博主原创文章, 遵循 [CC 4.0 BY-SA](#) 版权协议, 转载请附上原文出处链接和本声明。

本文链接: https://blog.csdn.net/ZMJ_Alisa/article/details/104393452

版权



[Java异常处理](#) 专栏收录该内容

3 篇文章 0 订阅

订阅专栏

```
2020-02-19 15:04:23.102 WARN 10327 --- [           main] o.a.c.loader.WebappClassLoaderBase : The web application [ROOT] appears to have started a thread named [RxIoScheduler-1 (Evictor)] but has failed to stop it. This is very likely to create a memory leak. Stack trace of thread:
```

```
sun.misc.Unsafe.park(Native Method)
java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(AbstractQueuedSynchronizer.java:2157)
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPoolExecutor.java:1083)
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPoolExecutor.java:1098)
java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1074)
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1134)
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
java.lang.Thread.run(Thread.java:748)
```

```
2020-02-19 15:04:23.111 INFO 10327 --- [           main] ConditionEvaluationReportLoggingListener :
```

```
Error starting ApplicationContext. To display the conditions report re-run your application with 'debug' enabled.
```

```
2020-02-19 15:04:23.115 ERROR 10327 --- [           main] o.s.b.d.LoggingFailureAnalysisReporter :
```

```
*****
```

```
APPLICATION FAILED TO START
```

```
*****
```

Description:

An attempt was made to call the method `springfox.documentation.swagger.web.UiConfigurationBuilder.supportedSubmitMethods([Ljava/lang/String;)Lsp` but it does not exist. Its class, `springfox.documentation.swagger.web.UiConfigurationBuilder`, is available from the following locations:

```
jar:file:/Users/zhangmengjie/Documents/devTool/maven/mavenRepository/io/springfox/springfox-swagger-common/2.8.0/springfox-swagger-common-2.8.0.jar!/springfox/documentation/swagger/web/UiConfigurationBuilder.class
```

It was loaded from the following location:

```
file:/Users/zhangmengjie/Documents/devTool/maven/mavenRepository/io/springfox/springfox-swagger-common/2.8.0/springfox-swagger-common-2.8.0.jar
```

Action:

Correct the classpath of your application so that it contains a single, compatible version of `springfox.documentation.swagger.web.UiConfigurationBuilder`

Process finished with exit code 1