

XCTF_Web_新手练习区: view_source

原创

1stPeak 于 2019-05-28 19:59:48 发布 3479 收藏 7

分类专栏: [CTF刷题](#) 文章标签: [XCTF](#)

版权声明: 本文为博主原创文章, 遵循 [CC 4.0 BY-SA](#) 版权协议, 转载请附上原文出处链接和本声明。

本文链接: https://blog.csdn.net/qq_41617034/article/details/90645870

版权



[CTF刷题](#) 专栏收录该内容

87 篇文章 22 订阅

订阅专栏

第一题: view_source

view source

查看Writeup 题目建议

难度系数: ★ 1.0

题目来源: Cyberpeace-n3k0

题目描述: X老师让小宁同学查看一个网页的源代码, 但小宁同学发现鼠标右键好像不管用了。

题目场景: 删除场景

倒计时: 03:57:23 延时

题目附件: 暂无

https://blog.csdn.net/qq_41617034

目标:


学会查看源代码

Writeup:

打开该网址后, 我们发现无法右击, 这时我们共有3种方法查看源代码

方法一:

F12打开开发者工具查看



FLAG is not here



方法二:

在url中通过view-source:的方法来访问源码，在url中提交view-source:http://111.198.29.45:58415/



```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <title>Where is the FLAG</title>
6 </head>
7 <body>
8 <script>
9 document.oncontextmenu=new Function("return false")
10 document.onselectstart=new Function("return false")
11 </script>
12
13
14 <h1>FLAG is not here</h1>
15
16
17 <!-- cyberpeace {282d2e1d82635f2a285c279f8c170416} -->
18
19 </body>
20 </html>
```

https://blog.csdn.net/qq_41617034

方法三:

通过Burpsuite抓包查看源代码

Burp Suite Professional v2.0beta - Temporary Project - licensed to surferxyz

Target: <http://111.198.29.45:58415>

Request

Raw Headers Hex

```
GET / HTTP/1.1
Host: 111.198.29.45:58415
User-Agent: Mozilla/5.0 (Windows NT 10.0; WOW64; rv:67.0) Gecko/20100101 Firefox/67.0
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Language: zh-CN,zh;q=0.8,zh-TW;q=0.7,zh-HK;q=0.5,en-US;q=0.3,en;q=0.2
Accept-Encoding: gzip, deflate
Connection: close
Upgrade-Insecure-Requests: 1
Cache-Control: max-age=0
```

Response

Raw Headers Hex HTML Render

```
HTTP/1.1 200 OK
Date: Tue, 28 May 2019 10:50:35 GMT
Server: Apache/2.4.7 (Ubuntu)
X-Powered-By: PHP/5.5.9-1ubuntu4.26
Vary: Accept-Encoding
Content-Length: 345
Connection: close
Content-Type: text/html

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Where is the FLAG</title>
</head>
<body>
<script>
document.oncontextmenu=new Function("return false")
document.onselectstart=new Function("return false")
</script>

<h1>FLAG is not here</h1>

<!-- cyberpeace{282d2e1d82635f2a285c279f8c170416} -->

</body>
</html>
```

Done https://blog.csdn.net/ 557 bytes | 36 millis