## bugku-writeup-MISC-Linux2



01—010 editor 查看

8:	1830	Toyt (t)
8:	1840	
8:	1850	Hex Bytes (h)
8:	1860	ASCII String (a)
8:	1870	Unicode String (u)
8:	1880	EBCDIC String (e)
8:	1890	Signed Byte (i8)
8:	18A0	Unsigned Byte (ui8)
8:	18B0	Signed Short (i16)
8:	18C0	Unsigned Short (ui16)
8:	18D0	Signed Int (i32)
8:	18E0	Unsigned Int (ui32)
8:	18F0	Signed Int64 (i64)
8:	1900	lineigned into 4 (104)
8:	1910	Unsigned Int64 (ul64)
8:	1920	Float (f)
8:	1930	Double (lf)
8:	1940	Variable Name (n)
8:	1950	Variable Value (v)
×	Find	ASCII: ^ 'a1c124a} ^

File	Edit	Sea	arch	Vi	ew	For	mat	Sc	ripts	5 T	emp	lates	s D	ebu	g 1	Tool	s V	Vindow	Help	)									
L 🗋	~ 🣂	~		1		ø	I 🏷		R	5	3	ر ا		5	→		ī 🦻	Hex	2 ¶		21		<b>i</b>	🧼	<u>.</u>	≿ ∢	10 10		
Sta	rtun	bra	vex																										
Jui			1	ົ ໂ	2	1	5	č	7	0	9	٨	D	<u> </u>	Π	E	С	01224	5679		DEE								
8:1	800h:	4B	45	2 59	7B	32	34	66	33	36	32	37	61	38	36	66	63	KEY{2	4f36	27a8	6fc								
8:1	810h:	37	34	30	61	37	66	33	36	65	65	32	63	37	61	31	63	740a7	f36e	e2c7	a1c								
8:1	820h:	31	32	34	61	7D	0A	00	00	00	00	00	00	00	00	00	00	124a}											
8:1	830h:	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	· · · · ·											
8:1	840h:	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00												
8:1	850h:	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00												
8:1	860h:	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00												
8:1	870h:	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00												
8:1	880h:	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00												
8:1	890h:	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00												
8:1	8A0h:	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00												
8:1	8B0h:	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00												
8:1	SCUN:	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00												
0.1		00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00												
0.1		00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00												
0.1 8·1	900h.	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00												
8.1	910h	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00												
8.1	920h	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00												
8:1	930h:	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00												
8:1	940h:	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00												
8:1	950h:	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00												
8:1	960h:	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00												
8:1	970h:	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00												
Find	d Resu	lts																											
	Add	lress		v	alue																								
	Found	8 0	CUE	renc		f 'ko	w'																						
	62E3D	5h_	Lecun	(FV_		r ke	y											_		_									
	04100	0h																			l-ti	la a d	//=					07055	
8	94180		K	ter																	nt	ips://	joia/	y.cs	an.n	evqq	_225	97955	

8:183	
8:184	Text (t)
8.185	Hex Bytes (h)
8:186	ASCII String (a)
8:187	Unicode String (u)
8:188	EBCDIC String (e)
8:189	Signed Byte (i8)
8:18A	Unsigned Byte (ui8)
8:18B	Signed Short (i16)
8:18C	Unsigned Short (ui16)
8:18D	Signed Int (i32)
8:18E	Unsigned Int (ui32)
8:18F	Signed Int64 (i64)
8:190	Unsigned Int64 (ui64)
8:191	Float (f)
8:192	Double (If)
8:193	Double (II)
8:194	Variable Name (n)
8:195	Variable Value (v)
× Find	ASCII: ^ <mark>'a1c124a} ^ `</mark>

解压缩,使用010 editor查看文件,Ctrl+F选择ASCII String(a)查找key,得到flag。 PS:钟爱010 editor,可以查看多种文件格式。